

WEST Search History for Application 10595805

Creation Date: 2008081111:55

Query	DB	Op.	Plur.	Thes.	Date
((magnetic adj resonance) or mri or nmr)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((magnetic adj resonance) or mri or nmr)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((magnetic adj resonance) or mri or nmr)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(phase near gradient) and ((read or frequency) near gradient)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(phase near gradient) and ((read or frequency) near (gradient or inco\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(move or moveable) and (subject or object or patient) near (table or bed)	PGPB, USPT, USOC, EPAB, JPAB,	ADJ			08-11-2008

	DWPI, TDBD				
(move\$4 or moveable) and (subject or object or patient) near (table or bed)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((receiv\$4 adj coils) or (multi nad coil) and excitation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((field of view) or FOV) and (extended or elengat\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(sensitivity near encodi\$4 or pattern or extraction od SENSE or SMASH) and imag\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(map\$4 near sensitivi\$3 near pattern) and (fixe\$3 near field) and (glober near receiv\$4 near coil or array or receiv\$4 near antenna) and signal	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(map\$4 near sensitivi\$3 or pattern) and (fixe\$3 near field) and (receiv\$4 near coil or array or receiv\$4 near antenna)	PGPB, USPT,	ADJ			08-11-2008

and signal	USOC, EPAB, JPAB, DWPI, TDBD				
((magnetic adj resonance) or mri or nmr) and ((move or moveable) and (subject or object or patient) near (table or bed))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((move\$4 or moveable) and (subject or object or patient) near (table or bed)) and (((receiv\$4 adj coils) or (multi nad coil) and excitation))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((move\$4 or moveable) and (subject or object or patient) near (table or bed) and ((receiv\$4 adj coils) or (multi nad coil) and excitation)) and ((phase near gradient) and ((read or frequency) near (gradient or incod\$4))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(move\$4 near (table or bed) and (((magnetic adj resonance) or mri or nmr)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((move\$4 near (table or bed) and ((magnetic adj resonance) or mri or nmr))) and ((map\$4 near sensitivi\$3 or pattern) and (fixe\$3 near field) and (receiv\$4 near coil or array or receiv\$4 near antenna) and signal)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(((magnetic adj resonance) or mri or nmr)) and ((map\$4 near sensitivi\$3 or pattern) and (fixe\$3 near field) and (receiv\$4 near coil or array or receiv\$4 near antenna) and signal)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	ADJ			08-11-2008

	TDBD				
((magnetic adj resonance) or mri or nmr) and (map\$4 near sensitivity\$3 or pattern) and (fixe\$3 near field) and (receiv\$4 near coil or array or receiv\$4 near antenna) and signal) and ((sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((magnetic adj resonance) or mri or nmr) and (map\$4 near sensitivity\$3 or pattern) and (fixe\$3 near field) and (receiv\$4 near coil or array or receiv\$4 near antenna) and signal and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4) and ((magnetic adj resonance) or mri or nmr))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((magnetic adj resonance) or mri or nmr) and (map\$4 near sensitivity\$3 or pattern) and (fixe\$3 near field) and (receiv\$4 near coil or array or receiv\$4 near antenna) and signal and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4 and ((magnetic adj resonance) or mri or nmr)) and ((phase near gradient) and ((read or frequency) near (gradient or inco\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
(324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 1600/408 1600/409 1600/410 1600/411 1600/412 1600/413 1600/414 1600/415 1600/416 1600/417 1600/418 1600/419 1600/420 1600/421 1600/422).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 1600/408 1600/409 1600/410 1600/411 1600/412 1600/413 1600/414 1600/415 1600/416 1600/417 1600/418 1600/419 1600/420 1600/421 1600/422).ccls.) and ((sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 1600/408 1600/409 1600/410 1600/411 1600/412 1600/413 1600/414 1600/415 1600/416 1600/417 1600/418 1600/419 1600/420 1600/421 1600/422).ccls. and (sensitivity near	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008

encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4) and ((map\$4 near sensitivity\$3 or pattern) and (fixe\$3 near field) and (receiv\$4 near coil or array or receiv\$4 near antenna) and signal)					
((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 600/408 600/409 600/410 600/411 600/412 600/413 600/414 600/415 600/416 600/417 600/418 600/419 600/420 600/421 600/422).ccls. and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4) and ((sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 600/408 600/409 600/410 600/411 600/412 600/413 600/414 600/415 600/416 600/417 600/418 600/419 600/420 600/421 600/422).ccls. and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4 and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4) and (((field of view) or FOV) and (extended or elengat\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 600/408 600/409 600/410 600/411 600/412 600/413 600/414 600/415 600/416 600/417 600/418 600/419 600/420 600/421 600/422).ccls. and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4 and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4 and ((field of view) or FOV) and (extended or elengat\$) and ((move\$4 near (table or bed) and ((magnetic adj resonance) or mri or nmr))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			08-11-2008
((map\$4 near sensitivity) and (fixed near field near view) and (virtual near field near view))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-11-2008

((map\$4 near sensitivity) and (virtual near field near view))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	ADJ	YES		08-11-2008
((map\$4 near sensitivity) and (fixed near field near view))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	ADJ	YES		08-11-2008
((fixed near field near view) and (virtual near field near view))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	ADJ	YES		08-11-2008
((sensitivity) and (fixed near field near view) and (virtual near field near view))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	ADJ	YES		08-11-2008
((sensitivity) and (global near coil))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	ADJ	YES		08-11-2008
((global near coil))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	ADJ	YES		08-11-2008
((sensitivity) and (global near coil))	PGPB, USPT, USOC, EPAB,	ADJ	YES		08-11-2008

	JPAB, DWPI, TDBD				
((continuous near motion) and acquisition)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-11-2008
((continuous near motion) and acquisition) and (virtual near field)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-11-2008
((continuous near motion) and acquisition) and (virtual near field)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-11-2008
((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 1600/408 1600/409 1600/410 1600/411 1600/412 1600/413 1600/414 1600/415 1600/416 1600/417 1600/418 1600/419 1600/420 1600/421 1600/422).ccls.) and (((continuous near motion) and acquisition))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-11-2008
((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 1600/408 1600/409 1600/410 1600/411 1600/412 1600/413 1600/414 1600/415 1600/416 1600/417 1600/418 1600/419 1600/420 1600/421 1600/422).ccls. and ((continuous near motion) and acquisition)) and ((324/300 324/301 324/302 324/303 324/304 324/305 324/306 324/307 324/308 324/309 324/310 324/311 324/312 324/313 324/314 324/315 324/316 324/317 324/318 324/319 324/320 324/321 324/322 or 600/407 1600/408 1600/409 1600/410 1600/411 1600/412 1600/413 1600/414 1600/415 1600/416 1600/417 1600/418 1600/419 1600/420 1600/421 1600/422).ccls. and (sensitivity near encodi\$4 or pattern or	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		08-11-2008

extraction) and (SENSE or SMASH) and imag\$4 and (sensitivity near encodi\$4 or pattern or extraction) and (SENSE or SMASH) and imag\$4 and ((field of view) or FOV) and (extended or elengat\$))					
---	--	--	--	--	--